PRELIMINARY Basis of Design Report

☐ ACCEPTED

ACCEPTED AS NOTED

☐ REVISE AND RESUBMIT



SEWER BASIS OF DESIGN REPORT FOR PIMA MCDOWELL SHOWROOM

Disclaimer: If accepted; the preliminary approval is granted under the condition that a final basis of design report will also be submitted for city review and approval (typically during the DR or PP case). The final report shall incorporate further water or sewer design and analysis requirements as defined in the city design standards and policy manual and address those items noted in the preliminary review comments (both separate and included herein). The final report shall be submitted and approved prior to the plan review submission.

For questions or clarifications contact the Water Resources Planning and Engineering Department at 480-312-5685.

BY Idillon

DATE 8/12/2021

Scottsdale, Arizona

23 July 2021

Comply with stipulations and address comments below within the subsequent DR case final basis of design report:

- 1) The current site plan herein indicates a separate parcel to be created on the northeast corner of the existing parcel. No details have been provided on this development. Within the final BOD provide details and show how this parcel will be provided with sewer service. Confirm that adequate slope is available to route sewer from this new parcel to the public sewer south of the parent parcel.
- 2) Stipulation: A 6-inch minimum sewer service for any new commercial parcel must be extended to the south and connect directly to the pubic sewer on Willeta. A private easement through the a clear area or drive aisle on the larger parcel should be provided to maintain this service line. 7-1.409, A & C
- 3) The existing sewer service for the site shall be confirmed to be 6-inch minimum in size and per MAG 440-3. DS&PM 7-1.409, B
- 4) A detailed sewer utility plan needed to be provided within the final BOD. DS&PM 7-1.201

PREPARED FOR

Aline Architecture Concepts 7340 East Main Street, #210 Scottsdale, Arizona 85251

DEVELOPER Tom Frenkel 7340 East Main Street, #200

SITE ADDRESS 8705 East McDowell Road Scottsdale, Arizona 85257

Scottsdale, Arizona 85251

PREPARED BY



4450 north 12th street, #228 phoenix, arizona 85014 CYPRESS # 21.120



TABLE OF CONTENTS

INTRODUCTION	1
EXISTING CONDITIONS	1
PROPOSED CONDITIONS	1
REQUIRED COMPUTATIONS	1
CONCLUSION	2

APPENDICES

- A City of Scottsdale Sewer Quarter Section Map
- B Preliminary Floor Plan
- C Sewer Flow Calculation

INTRODUCTION: PROJECT DESCRIPTION AND LOCATION

The Project is known as 'Pima McDowell Showroom' and is located at 8705 East McDowell Road

in Scottsdale, Arizona. The proposed project consists of the renovation of the existing onsite

buildings and addition of a new warehouse and storage yard.

The utility provider for sewer facilities is the City of Scottsdale.

EXISTING CONDITIONS

Per available utility maps and as-built records, an existing 8" PVC sewer 15,000 square feet, and

has an existing 6" service lateral connecting to said main in Willetta Road. Refer to Appendix A

for City of Scottsdale Sewer Quarter Section Map.

PROPOSED CONDITIONS

The existing 15,000 SF building is intended to be redeveloped by the new user as showroom with

the addition of a new 20,000 SF warehourse and 4,000 SF storage yard. The design team intends

to retain the existing sewer service connection for the redeveloped building. The sewer service

is anticipated to provide adequate sizing to service the redeveloped Project. Refer to Appendix

B for Preliminary Site Plan.

REQUIRED COMPUTATIONS

EXISTING SEWER DEMAND:

Average Day Demand (Commercial/Retail): 0.5 GPD/SF x 15,000 SF = 7,500 GPD

Peak Demand(Commercial/Retail): 3 x 7,500 = 22,500 GPD

PROPOSED SEWER DEMAND:

Average Day Demand (Commercial/Retail): 0.5 GPD/SF x 39,000 SF = 19,500 GPD

Peak Demand (Commercial/Retail): 3 x 19,500 = 58,500 GPD

The proposed demand will increase from the existing condition. A sewer flow calculation


demonstrates that the capacity in the sewer service connection is an order of magnitude larger

than the projected flows. See Appendix C for Sewer Flow Calculation.

CONCLUSION

CYPRESS respectfully submits this report as the Wastewater Design Report for the proposed the Pima McDowell Showroom Development. The proposed wastewater system shall be designed in accordance with ADEQ, International Building Code, and the City of Scottsdale standards.

Appendix A
City of Scottsdale Sewer Quarter Section Map



Appendix B Preliminary Site Plan Appendix C Sewer Flow Calculation



SITE CONSULTING SURVEY SITE ENGINEERING

Sewer Design Report Calculations

Pima McDowell Showroom

Sewage Flow Per Day (From DSPM 7-1.403)

Total Flow (GPD)	19,500
Dry Peaking Factor	3.000

Dry Peak Flow (GPD) 48,750

$$Q = \frac{1.49}{n} A R^{2/3} S^{1/2}$$

Where:

Q = flow in cfs

n = Manning's Roughness Coefficient

A = Cross sectional area of flow

SYSTEM MINIMUM SLOPE

n =	:	0.013
Pipe diameter (in) =	=	6
Pipe Slope (ft/ft) =	=	0.01

Full Flow*

Depth of flow (in) =	4.50
φ (radian) =	4.19
Area (in2) =	22.75
Wetted Perimeter (in) =	12.57
Hydraulic Radius (in) =	1.81
Velocity (ft/sec) =	3.25
d/D ratio =	0.75
Pipe Capacity (GPD)	331,562

Design Flow

Depth of flow (in) =	3.79
φ (radian) =	3.68
Area (in2) =	18.84
Wetted Perimeter (in) =	11.03
Hydraulic Radius (in) =	1.71
Velocity (ft/sec) =	3.12
d/D ratio =	0.63

SYSTEM MAXIMUM SLOPE

n =	0.013
Pipe diameter (in) =	6
Pipe Slope (ft/ft) =	0.02

Full Flow*

Depth of flow (in) =	4.50
φ (radian) =	4.19
Area (in2) =	22.75
Wetted Perimeter (in) =	12.57
Hydraulic Radius (in) =	1.81
Velocity (ft/sec) =	4.59
d/D ratio =	0.75
Pipe Capacity (GPD)	468,899

Design Flow

Depth of flow (in) =	2.60
φ (radian) =	2.87
Area (in2) =	11.74
Wetted Perimeter (in) =	8.62
Hydraulic Radius (in) =	1.36
Velocity (ft/sec) =	3.80
d/D ratio =	0.43

^{*}Full Flow refers to d/D of 0.75 per AAC R18-9-E301.4.01.D.2.e